

HG-100



GENERAL DESCRIPTION

Optima Hidden gate provides aesthetic and effective control of entry or exit at kinds of toll connection systems like train/metro stations, and access control for commercial centers, stadium, schools, government, and private sector buildings, etc.

SYSTEM SPECIFICATIONS


MODELS	HG-100
Cabinet	AISI 304-Grade stainless steel main body and lateral lids
Top Cover & Flaps	Tempered Glass
Maintenance	Top covers are removable for easy maintenance
Control	Motor start and stop control is maintained by Optima Control Card
During Operation	Low power consumption and silent running
Alarm System	Senses forbidden and reverse direction passing
Adjustable Automatic Close	Turnstile closes flaps by itself after adjusted time if a valid card is presented but person not passed
Obstacles Detection	All the obstacles in the passage are sensed with photoelectric sensors
Usage Area	Indoor use only
Environmental Conditions and Power Requirements	Between -15 °C and +65 °C, 95% non-condensing humidity; 220 V +/- 10%, mono phase, 50-60 Hz

ACCESSORIES

SCADA or any control system: It is possible to change and check the position of turnstile with touch screen control panel *	Card reader mounting plate with pedestal *
Optima Cloud. To control turnstile by mobile devices (ios-android), computer, etc *	Card reader mounting plate inside or on the turnstile *
Uninterrupted power supply (UPS) *	Stainless steel railing *
Logo print on the flaps *	Digital counter *
Card reader system *	Push button box *

▲ (Accessories marked with (*) are optional.)

MAIN BODY MEASUREMENTS



optima®