



ALLSCREEN Smart Mobile Screen

Model: S32PF3-Y





Features:

1. ALLSCREEN Smart Mobile Screen adopts full-screen (frameless) capacitive optical bonding touch technology, which equips with high color gamut, gorgeous and natural colors, high display restoration, and large screen viewing angle.
2. The surface of the screen is covered with an etched tempered glass, whose hardness reaches up to Mohs level 7 to ensure safety and reliability.
3. The screen has a built-in highly reliable Li-ion phosphate battery, which has a long circle life and can play online videos over 5 hrs at max brightness. And it comes with a 19V/90W fast charging charger.
4. The smart screen is equipped with a telescopic mobile stand with a total 180° rotation (Clockwise 90°, Counterclockwise 90°), 52° tilt (Forwards 26°, Backwards 26°), and 15 cm height adjustments to meet multiple demands. The bottom of the stand adopts silent universal wheels, which makes movement easy, fast and low-noise.
5. It supports wireless screen sharing to easily share screens from mobile phone, computer and other devices.
6. It builds in high-power NdFeB cavity speaker and rich interfaces, such as Type-c, Mini HDMI, USB3.0.
7. It supports active pen, 4096 levels of pressure sensitivity, which restores the real experience of painting and writing.

Parameters:

LCD Panel	Screen Size	32"
	Back-light	ELED
	Resolution	1920*1080
Capacitive Touch Specs	Touch Screen Type	Capacitive optical bonding
	Surface Process	Edging AG
System Properties	Version	Android 10.0
	CPU	ARM Duel Core A72+Quad Core A53
	RAM	4GB
	ROM	64GB
Internet	Wi Fi/Bluetooth	Wifi6, supports dual-band 2.4G/5G Bluetooth V5.2
Peripherals	Speaker	8Ω 5W*2
	Switch	Switch
Rear Input Interface	USB 2.0 *1	Connect a USB device
	USB 3.0*1	Connect a USB device
	Mini HDMI IN *1	External device with HDMI output
	Type-c IN*1	External devices with Type-C output Support 5V/3A output to charge peripherals
	EARPHONE OUT*1	External device with 3.5-pin audio input
Charging Interface	DC Plug 5.5*2.5MM	19V/4.7A power input
Adjustments	Up/Down	15 CM
	Rotation (Clockwise/Counterclockwise)	90°
	Tilt(Forwards/Backwards)	26°
Language	OSD Menu	Simplified Chinese, English
Operastion Environment	Battery Capacity	Li-Ion Phosphate 18000mAh
	Operation Temperature	0 ~ 45°C
	Storage Temperature	-10 ~ 50°C
	Working Humidity	≤80% RH (No condensation)
	Warehouse Humidity	≤60% RH (No condensation)

Structure	G.W.	25KG
	N.W.	19KG
	Smart Screen Dimension	See dimensional drawings below
	Package Dimension	1400*600*200mm
	Shell Material	Plastic
	Shell Color	White
Accessories	Remote Control	*1
	Adaptor	*1
	Power Cord	*1
	Certificate of Conformity	/
	Warranty Card	/
	User Manual	/
	Screws	1 Set

Dimension:

